

# SUNTANNING

EQUIVALENTS CHART	154
SYLVANIA PURE BRONZE	155
SYLVANIA WELLNESS CLASS FOR SENSITIVE SKIN TYPES	156
SYLVANIA WELLNESS REFLECTOR LAMPS - CLOSED GLASS	156
SYLVANIA WELLNESS REFLECTOR LAMPS - OPEN GLASS	156
SYLVANIA PROFESSIONAL REFLECTOR LAMPS	157
SYLVANIA PROFESSIONAL LONG LIFE LAMPS	157
SYLVANIA EXTRA LONG TUBES	157
SYLVANIA TWIN RED/BLUE COLOUR	158
SYLVANIA FACIAL - SPAGHETTI LAMPS	158
PHILIPS FACIAL - SPAGHETTI LAMPS	158
SYLVANIA HIGH PRESSURE LAMPS	159
PHILIPS HIGH PRESSURE LAMPS	159
SYLVANIA LONG LIFE HIGH PRESSURE LAMPS	159
PUREBRONZE 5FT (1.5M) 140W 0.3W/M sq COMPLIANT	160
PUREBRONZE 6FT (1.8M) 100W 0.3W/M sq COMPLIANT	160
PUREBRONZE 6FT (1.8M) 160W 0.3W/M sq COMPLIANT	160
PUREPOWER 6FT (1.8M) 160W LONGMOUNT 0.3W/M sq COMPLIANT	160
PUREPOWER 2.0M 200W LONGMOUNT 0.3W/M sq COMPLIANT	161
STARTERS	161





# EQUIVALENTS CHART

To assist in identifying the correct tanning lamp, below is our equivalents chart that we have created giving our order code against popular Philips and Cosmedico tanning lamps.

Please Note - Always seek advice as to the skin type and length of exposure when using any solarium equipment. Always wear goggles when using solarium.

<b>ORDER CODE</b>	<b>PHILIPS EQUIVALENT</b>	<b>COSMEDICO EQUIVALENT</b>
80UVA-B	5ft 80w Performance UVA	5ft 80w Cosmolux UVA Plus
80RUVA-B	5ft 80w Performance RUVA	5ft 80w Cosmolux RA Plus
100UVA-B	6ft 100w Performance UVA	6ft 100w Cosmolux UVA Plus
100RUVA-B	6ft 100w Performance RUVA	6ft 100w Cosmolux RA Plus
80UVA-1.3	5ft 80w Professional UVA	5ft 80w Goldarium S
80RUVA-1.6	5ft 80w Professional RUVA	5ft 80w Goldarium SR
100UVA-1.3	6ft 100w Professional UVA	6ft 100w Goldarium S
100RUVA-1.6	6ft 100w Professional RUVA	6ft 100w Goldarium SR
140RUVA	5ft 140w Professional RUVA	5ft 140w Cosmolux VHR
160RUVA	6ft 160w Professional RUVA	6ft 160w Cosmolux VHR
80UVA-2.0	5ft 80w Cleo Swift UVA	
80RUVA-2.3	5ft 80w Cleo Swift RUVA	
100UVA-2.0	6ft 100w Cleo Swift UVA	
100RUVA-2.0	6ft 100w Cleo Swift RUVA	
140RUVA-2.0	5ft 140w Cleo Swift RUVA	5ft 140w Cosmolux VHR TT
160RUVA-2.0	6ft 160w Cleo Swift RUVA	6ft 160w Cosmolux VHR TT
160RUVA-2.3	6ft 160w Swift XPT	6ft 160w Cosmolux VHR TT
200RUVA-1.6		2 metre 200w Cosmolux VHR 200
250RUVA-2.0	2 metre 200w Philips Swift XPT	2 metre 225w Cosmolux VHR Plus





Order code	Description	Length	Watts	UVA W	UVB %	Life hrs.
<b>SYLVANIA PURE BRONZE</b>						

General Lamps are exclusive dealers of the Sylvania Pure Bronze range of suntanning lamps.

Below we have listed the most common types. You may find our equivalents chart useful to find our order code from an alternative manufacturer's product.


Please Note - Always seek advice as to the skin type and length of exposure when using any solarium equipment. Always wear goggles when using solarium.

80UVA-B	PUREBRONZE PBC 80W 0.7	5FT	80W	21	0.8	600
80RUVA-B	PUREBRONZE PBC 80W 0.7 R	5FT	80W	20	0.7	600
100UVA-B	PUREBRONZE PBC 100W 0.7	6FT	100W	27	0.8	600
100RUVA-B	PUREBRONZE PBC 100W 0.7 R	6FT	100W	27	0.7	600
80UVA-1.3	PUREBRONZE PBC 80W 1.3	5FT	80W	21	1.2	600
80RUVA-1.6	PUREBRONZE PBO 80W 1.6 R	5FT	80W	22	1.6	600
100UVA-1.3	PUREBRONZE PBC 100W 1.3	6FT	100W	27	1.3	600
100RUVA-1.6	PUREBRONZE PBC 100W 1.6 R	6FT	100W	26	1.6	600
140RUVA	PUREBRONZE PBO 140W 1.6 R	5FT	140W	30	1.6	600
160RUVA	PUREBRONZE PBC 160W 1.6 R	6FT	160W	31	1.6	600
80UVA-2.0	PUREBRONZE PBO 80W 2.0	5FT	80W	20	2	600
80RUVA-2.3	PUREBRONZE PBO 80W 2.3 R	5FT	80W	21	2.3	600
100UVA-2.0	PUREBRONZE PBO 100W 2.0	6FT	100W	26	2	600
100RUVA-2.0	PUREBRONZE PBO 100W 2.0 R	6FT	100W	29	2	600
140RUVA-2.0	PUREBRONZE PBO 140W 2.0 R	5FT	140W	30	2	600
160RUVA-2.0	PUREBRONZE PBO 160W 2.0R	6FT	160W	38	2	600
160RUVA-2.3	PUREPOWER PPB 160W 2.3 R LL	6FT	160W	46	2.3	1000
200RUVA-1.6	PUREPOWER PPB 200W 1.6 R LL	2M	200W	51	1.6	1000
250RUVA-2.0	PUREPOWER PPB 250W 2.0 R LL	2M	250W	53	2	1000

<i>Description</i>	<i>Length</i>	<i>Watts</i>	<i>UVA W</i>	<i>UVB %</i>	<i>Life hrs.</i>
<b>SYLVANIA WELLNESS CLASS FOR SENSITIVE SKIN TYPES</b>					

Wellness lamps are used in starter beds, their lower UVA and UVB ratings make them most suited to sensitive skin types.

Please Note - Always seek advice as to the skin type and length of exposure when using any solarium equipment. Always wear goggles when using solarium.



PUREBRONZE PBC 80W 0.7	5FT	80W	21	0.7	600
PUREBRONZE PBC 80W 1.3	5FT	80W	21	1.3	600
PUREBRONZE PBO 80W 2.0	5FT	80W	20	2.0	600
PUREBRONZE PBC 100W 0.7	6FT	100W	27	0.7	600
PUREBRONZE PBC 100W 1.3	6FT	100W	27	1.3	600
PUREBRONZE PBO 100W 2.0	6FT	100W	26	2.0	600
PUREBRONZE PBO 160W 1.0	6FT	160W	31	1.0	600
PUREBRONZE PBO 160W 1.3	6FT	160W	30	1.3	600
PUREBRONZE PBO 160W 2.0	6FT	160W	30	2.0	600

<i>Description</i>	<i>Length</i>	<i>Watts</i>	<i>UVA W</i>	<i>UVB %</i>	<i>Life hrs.</i>
<b>SYLVANIA WELLNESS REFLECTOR LAMPS - CLOSED GLASS</b>					



PUREBRONZE PBC 80W 0.7 R	5FT	80W	20	0.7	600
PUREBRONZE PBC 100W 0.7 R	6FT	100W	27	0.7	600
PUREBRONZE PBC 100W 1.0 R	6FT	100W	27	1.0	600
PUREBRONZE PBC 100W 1.6 R	6FT	100W	26	1.6	600
PUREBRONZE PBC 100W 2.3 R	6FT	100W	25	2.3	600
PUREBRONZE PBC 160W 1.0 R	6FT	160W	33	1.0	600
PUREBRONZE PBC 160W 1.6 R	6FT	160W	31	1.6	600
PUREBRONZE PBC 160W 2.3 R	6FT	160W	30	2.3	600

<i>Description</i>	<i>Length</i>	<i>Watts</i>	<i>UVA W</i>	<i>UVB %</i>	<i>Life hrs.</i>
<b>SYLVANIA WELLNESS REFLECTOR LAMPS - OPEN GLASS</b>					



PUREBRONZE PBO 80W 1.0 R	5FT	80W	23	1.0	600
PUREBRONZE PBO 100W 0.7 R	6FT	100W	30	0.7	600
PUREBRONZE PBO 100W 1.0 R	6FT	100W	30	1.0	600
PUREBRONZE PBO 100W 1.3 R	6FT	100W	30	1.3	600
PUREBRONZE PBO 140W 1.0 R	5FT	140W	30	1.0	600
PUREBRONZE PBO 160W 1.0 R	6FT	160W	37	1.0	600
PUREBRONZE PBO 160W 1.3 R	6FT	160W	37	1.3	600

**01494 880099**



Description	Length	Watts	UVA W	UVB %	Life hrs.
<b>SYLVANIA PROFESSIONAL LAMPS FOR TANNING SALONS</b>					

Professional lamps with their faster tanning capability are ideally suited to more rigorous use in tanning salons.

Long life lamps reduce maintenance costs.

Please Note - Always seek advice as to the skin type and length of exposure when using any solarium equipment. Always wear goggles when using solarium.

Description	Length	Watts	UVA W	UVB %	Life hrs.
<b>SYLVANIA PROFESSIONAL REFLECTOR LAMPS</b>					

PUREBRONZE PBO 80W 1.6 R	5FT	80W	22	1.6	600
PUREBRONZE PBO 80W 2.3 R	5FT	80W	21	2.3	600
PUREBRONZE PBO 100W 1.6 R	6FT	100W	30	1.6	600
PUREBRONZE PBO 100W 2.0 R	6FT	100W	29	2.0	600
PUREBRONZE PBO 100W 2.3 R	6FT	100W	29	2.3	600
PUREBRONZE PBO 100W 2.6 R	6FT	100W	29	2.6	600
PUREBRONZE PBO 140W 1.6 R	5FT	140W	30	1.6	600
PUREBRONZE PBO 140W 2.0 R	5FT	140W	30	2.0	600
PUREBRONZE PBO 140W 2.3 R	5FT	140W	30	2.3	600
PUREBRONZE PBO 160W 1.6 R	6FT	160W	37	1.6	600
PUREBRONZE PBO 160W 2.0 R	6FT	160W	38	2.0	600
PUREBRONZE PBO 160W 2.3 R	6FT	160W	38	2.3	600
PUREBRONZE PBO 160W 2.6 R	6FT	160W	37	2.6	600



Description	Length	Watts	UVA W	UVB %	Life hrs.
<b>SYLVANIA PROFESSIONAL LONG LIFE LAMPS</b>					

PUREBRONZE PBO 100W 1.6 R LL	6FT	100W	30	1.6	800
PUREBRONZE PBO 100W 2.0 R LL	6FT	100W	29	2.0	800
PUREBRONZE PBO 100W 2.3 R LL	6FT	100W	28	2.3	800
PUREBRONZE PBO 160W 1.6 R LL	6FT	160W	38	1.6	1000
PUREBRONZE PBO 160W 2.0 R LL	6FT	160W	38	2.0	1000
PUREBRONZE PBO 160W 2.3 R LL	6FT	160W	38	2.3	1000
PBO 180W 2.0 R 2M LL	2M	180W	45	2.0	1000



Description	Length	Watts	UVA W	UVB %	Life hrs.
<b>SYLVANIA EXTRA LONG TUBES</b>					

PBO 120W 2.0 R 2M	2M	120W	32	2.0	600
PBO 180W 2.0 R 1.9M	1.9M	180W	42	2.0	600
PBO 180W 2.0 R 2M	2M	180W	42	2.0	600



SUNTANNING

Description	Length	Watts	UVA W	UVB %	Life hrs.
<b>SYLVANIA TWIN RED/BLUE COLOUR</b>					

Twin lamps provide more intense tanning to the face and legs than to the body as different parts of the body react differently to exposure to UV.

They are easily recognised by their characteristic blue/red colour.

Please Note - Always seek advice as to the skin type and length of exposure when using any solarium equipment. Always wear goggles when using solarium.



PBO 100W Twin (1.7/2.3 Blue/Red)	6FT	100W	28	1.7/2.3	600
PBO 160W Twin (1.7/2.6 Blue/Red)	6FT	160W	34	1.7/2.6	600
PBO 200W Twin 2M (2.0/2.6 Blue/Red)	2M	200W	40	2.0/2.6	600
PPB 160W Twin LL (2.0/2.6 Blue/Red)	6FT	160W	40	2.0/2.6	1000
PPB 250W Twin 2M LL (2.3/2.6 Blue/Red)	2M	250W	48	2.3/2.6	1000

Description	Length	Watts	UVA W	UVB %	Life hrs.
<b>SYLVANIA FACIAL - SPAGHETTI LAMPS</b>					




PUREBRONZE PBO 15W 1.0	28.8CM	15W	5	1.0	600
PUREBRONZE PBO 25W 1.5	52CM	25W	5.5	1.5	600
PUREBRONZE PBO 25W 2.5	52CM	25W	6	2.5	600
PUREBRONZE PBO 25W 1.5 R	52CM	25W	6	1.5	600
PUREBRONZE PBO 25W 2.5 R	52CM	25W	6	2.5	600

Order code	Manufacturer's code	Length	Watts
<b>PHILIPS FACIAL - SPAGHETTI LAMPS</b>			



UVA15	TL29D16/09N	300MM	15W
UVA25	TL36D25/09N	375MM	25W
TL44D2509-N	TL44D25/09	450MM	20W
PLL36-09	PLL36/09 CLEO	415MM	36W





Order code	Description	Cap	Watts	X mm	Y mm	Life hrs.	Fig.
------------	-------------	-----	-------	------	------	-----------	------

**SYLVANIA HIGH PRESSURE LAMPS**

Please Note - Always seek advice as to the skin type and length of exposure when using any solarium equipment. Always wear goggles when using solarium.

HPA400-30S	PUREBRONZE PBO 400W S	R7s	250-400W	14	106	600	1
HPA400-S	PUREBRONZE PBO 400W SL	R7s Long	250-400W	14	117.9	600	1
	PUREBRONZE PBO 400W C	Cable	250-400W	14	116	600	2
	PUREBRONZE PBO 400W SE	GY9.5	250-400W	14	103	600	3
	PUREBRONZE PBO 500W S	R7s	400-600W	17	106	600	1
	PUREBRONZE PBO 500W C	Cable	400-600W	17	114	600	2
	PUREBRONZE PBO 500W SE	GY9.5	400-600W	17	107	600	3
	PUREBRONZE PBO 1000W C 230V	Cable	1000W	26	139	600	2
	PUREBRONZE PBO 1000W C 400V	Cable	1000W	26	139	600	2
	PUREBRONZE PBO 1000W SE	GY9.5 Long	1000W	25	129	600	3
	PUREBRONZE PBO 2000W C 400V	Cable	2000W	27	174	600	2

Order code	Manufacturer's code	Cap	Watts	X mm	Y mm	Fig.
------------	---------------------	-----	-------	------	------	------

**PHILIPS HIGH PRESSURE LAMPS**

HPA400-S	HPA400S	RX7S	400W	18	118	1
HPA400-30S	HPA400/30S	RX7S	400W	18	104	1

Description	Cap	Watts	X mm	Y mm	Life hrs.	Fig.
-------------	-----	-------	------	------	-----------	------

**SYLVANIA LONG LIFE HIGH PRESSURE LAMPS**

PUREBRONZE PBO 400W S LL	R7s	250-400W	14	106	1000	1
PUREBRONZE PBO 400W SE LL	GY9.5	250-400W	14	103	1000	3
PUREBRONZE PBO 500W SE LL	GY9.5	400-600W	17	107	1000	3
PUREBRONZE PBO 1000W SE Short LL	GY9.5 Long	700-1000W	25	129	1000	3




Fig. 1




Fig. 2




Fig. 3



**SYLVANIA LAMPS COMPLIANT WITH THE 0.3W/M sq EU DIRECTIVE FOR ALL NEW SOLARIA**

From July 2007 all new solaria have had to comply with the new 0.3 W/m<sup>2</sup> directive. Sylvania have developed their own range that conforms to the new regulations.


Please Note - Always seek advice as to the skin type and length of exposure when using any solaria equipment. Always wear goggles when using solaria.



Description	Length	Watts	UVA W	UVB %	Life hrs.
<b>PUREBRONZE 5FT (1.5M) 140W</b>					
PUREBRONZE PBO 140W NORMMAX	5FT	140W	30	0.95	600



Description	Length	Watts	UVA W	UVB %	Life hrs.
<b>PUREBRONZE 6FT (1.8M) 100W</b>					
PUREBRONZE PBC 100W 0.7 R	6FT	100W	27	0.71	600
PUREBRONZE PBO 100W 0.7 R	6FT	100W	30	0.74	600
PUREBRONZE PBO 100W 1.0 R	6FT	100W	30	1.02	600
PUREBRONZE PBC 100W 1.6 R	6FT	100W	27	1.56	600
PUREBRONZE PBO 100W 1.3 R	6FT	100W	30	1.32	600
PUREBRONZE PBO 100W RA-MAX	6FT	100W	33	0.97	1200



Description	Length	Watts	UVA W	UVB %	Life hrs.
<b>PUREBRONZE 6FT (1.8M) 160W</b>					
PUREBRONZE PBC 160W 1.0R	6FT	160W	33	0.94	600
PUREBRONZE PBO 160W NORMMAX+	6FT	160W	37	0.95	600
PUREBRONZE PBO 160W 1.3R	6FT	160W	37	1.14	600
PUREBRONZE PBC 160W 1.6R	6FT	160W	31	1.5	600
PUREBRONZE PBO 160W R A-MAX	6FT	160W	40	1.21	1200



Description	Length	Watts	UVA W	UVB %	Life hrs.
<b>PUREPOWER 6FT (1.8M) 160W LONGMOUNT</b>					
PUREPOWER PPB 160W R NORMMAX LL	6FT	160W	46	0.35	1000
PUREPOWER PPB 160W R NORMMAX+ LL	6FT	160W	46	0.63	1000
PUREPOWER PPB 160W R A-MAX LL	6FT	160W	49	0.83	1200
PUREPOWER PPB 160W R A-MAX+ LL	6FT	160W	49	1.02	1200

**01494 880099**



<i>Description</i>	<i>Length</i>	<i>Watts</i>	<i>UVA W</i>	<i>UVB %</i>	<i>Life hrs.</i>
<b>PUREPOWER 2.0M 200W LONGMOUNT</b>					
PUREPOWER PPB 200W R NORMMAX LL	2M	180-200W	51	0.35	1000
PUREPOWER PPB 200W R NORMMAX+ LL	2M	180-200W	51	0.63	1000
PUREPOWER PPB 200W R A-MAX LL	2M	180-200W	53	0.83	1200
PUREPOWER PPB 200W R A-MAX+ LL	2M	180-200W	53	1.02	1200



<i>Description</i>	<i>Watts</i>
<b>STARTERS</b>	
ST111	4-65W
ST155-801	80-100W
S12	115-140W
PBS160	160 80-160W

